

**NOTICE DATE:** April 7, 2006

**NOTICE TYPE:** Notice of System Change (PRR)

**SHORT DESCRIPTION:** ERCOT Implementation of PRR548, Settlement Mismatch Inter-QSE Energy Schedules, and PRR599, Notification for Mismatched Inter-QSE Energy Schedules

**INTENDED AUDIENCE:** QSE Settlement Personnel

**DAY AFFECTED:** Operating Day April 19, 2006

**LONG DESCRIPTION:**

On April 19, 2006, ERCOT will implement PRR548 and PRR599. This change will affect the Settlement of mismatches and also provide additional information about the mismatched portion of the energy schedules beginning on this Operating Day.

PRR548, Settlement Mismatch Inter-QSE Energy Schedules, changes the settlement amount of the mismatch from the entire amount scheduled to just the amount (or delta) by which the parties are mismatched, by zone. Thus the Mismatched Inter-QSE Schedule Delivered Quantity (MSDQTY) will be the amount by which the Obligation schedule submitted by a QSE exceeds the corresponding counter-QSE's Resource schedule. The Mismatched Inter-QSE Schedule Received Quantity (MSRQTY) will be the amount by which the Resource Schedule submitted by a QSE exceeds the corresponding counter-QSE's Obligation schedule. There are no new determinants as a result of this PRR. This change involves only the values that will be populated to the existing determinants.

PRR599, Notification for Mismatched Inter-QSE Energy Schedules, will notify both QSEs involved in a mismatched Inter-QSE trade of both the existence and amount of the mismatched schedules. This change creates two new determinants:

MSBDINFO\_CQ\_<CounterQSE>\_<CMZONE>\_<QSE>  
MSBRINFO\_CQ\_<CounterQSE>\_<CMZONE>\_<QSE>

These determinants will appear in the QSE Settlement and Billing extract three days after the Operating Day. The amount shown in these determinants will be the net mismatch amount between the QSE and the Counter QSE's schedules. The QSE with the greater scheduled quantity will receive a positive amount, while the QSE with the lesser scheduled quantity will receive a negative amount.

**ADDITIONAL INFORMATION:**

The descriptions for the Protocol Revision Requests referenced in this notice are available at:

<http://www.ercot.com/mktrules/protocols/prr.html>

**CONTACT:** If you have any questions, please contact your ERCOT Account Manager. You may also call the general ERCOT Client Relations phone number at (512) 248-3900 or contact ERCOT Client Relations via e-mail at [ClientRelations@ercot.com](mailto:ClientRelations@ercot.com).